


Your partner for
production efficiency

Quick splice High performance belts



CHIO*LINK*[™]



CHIOLINK™


CHIOLINK™ is a premium solution for **minimizing downtime** and **increasing production efficiency**.

Thanks to the special construction it can be made endless onsite **very quickly** and in a **unique safe way**.

CHIOLINK™ high performing elastomer covers combined with a patent pending solution for a quick & safe splicing is a **breakthrough for belting efficiency**.

Belt design

CHIOLINK™ is the combination of a spiral polyester carcass and CHIORINO superior elastomer covers. It can be easily cut at any length and made endless on site, without the use of glues.



Minimize downtime

Increase efficiency



**QUICK &
SAFE
SPLICING**



**SUPERIOR
ELASTOMER
COVERS**



CHIOLINK™

Quick & Safe splicing

CHIORINO Proprietary System Patent pending



Do-it-yourself in a few minutes without specific training
Safe system
In-house installation (no external fitters needed)

- Reduced downtime
- Minimized maintenance cost
- Increased operational safety

No damages to the machine and products caused by mechanical fastener

- No waste
- Optimized Cost of Ownership

No weak points due to skived joint

- Increased production efficiency

Excellent stability

- Easy tracking

No glues

- Sustainable solution

Superior elastomer covers

CHIORINO Unique high performing solutions



Excellent resistance to abrasion

Consistent product feeding and conveying

Highest resistance to oils, inks and chemicals

Choice of covers according to different applications and processed products

- Increased efficiency
- Increased production output
- Long service life

CHIOLINK™

Superior elastomers



HS®

High abrasion resistance

The unique HS® friction covers provide an excellent abrasion resistance and a uniform coefficient of friction over time.



Excellent resilience

The unique HS® elastomer offers outstanding resilience, high elasticity and crack resistance.



Long service life

Thanks to the low aging property of the cover Chiorino HS® belts provide a long service life.



Food compliance

The **CHIOLINK HS** food grade belts are ideal for aseptic packagings for food and pharmaceutical use.

They comply with the latest european and international food regulations.

EC 1935/2004 regulation and amendments

EC 2023/2006 regulation and amendments

DM 21/03/73 (test according to EU 10/2011)

FDA (Food and Drug Administration)



MF™


Long service life

MF® is a self-regenerating elastomer that maintains its properties during time and assures longer service life compared to traditional elastomer.




Consistent coefficient of friction

The special MF® elastomer offers high production precision thanks to the consistently high coefficient of friction.



High abrasion resistance

The MF® elastomer offers excellent resistance to abrasion, oils, inks and chemicals.




Technical data

Code	Type	Top cover			Bottom cover	Total thickness mm	Minimum pulley diameter mm	Pull for 1% elong. N/mm	Temperature resistance °C	
		material	texture	colour					min.	max.
NA1625	ChioLink G15 HS FL Food Grade	synthetic elastomer	FL	ivory	mesh, polyester	4.0	80	13	-20	100
NA1594	ChioLink G40 MF red	natural elastomer	FL	red	mesh, polyester	6.5	80	13	-20	100
NA1595	ChioLink G40 HS GP red	synthetic elastomer	GP	red	mesh, polyester	7.0	80	13	-20	100


The technical data are valid under normal environmental conditions and are subject to change without notice.

Surface textures




CHIOLINK™ for corrugated carton box

CHIOLINK™ is ideal for Cardboard industry, in corrugated carton box folder gluers, in particular for Stackers and Transfers. It can also be used in other sectors as wood and tyre industry.



Quick & Safe

Splicing System and Tool



Chiorino has developed a unique and innovative system & tool that **facilitates the splicing operations**, providing benefits in terms of **Safety** for the operator and **Downtime minimization**.

The **CHIOLINK™** splicing system is a **CHIORINO PROPRIETARY TECHNOLOGY** and is **PATENT PENDING**.



CHIOLINK™
SPLICING KIT



Tools available in a handy case,
with all necessary equipment
for the Chiorino exclusive
Joining system.



CHIOLINK™

Exclusive procedure Join-it-yourself!



- No glues
- Easy to use
- High operational safety
- No need of external service
- No need of qualified training

